



university of
 groningen

Institute for Mathematics and Computer Science
 Intelligent Systems research group



UMG
dubium sapientiae initium

Department of Medical and Surgical Sciences
 Bioinformatics Lab

Seminars in Bioinformatics and High Performance Computing

Trainable COSFIRE filters for pattern recognition in medical imaging

Prof. Nicolai Petkov,
 University of Groningen, The Netherlands

Seminario per gli studenti dei Dottorati di Ricerca di Area Medica e
 del Corso di Laurea in Ingegneria Informatica e Biomedica

Tuesday, 5 July 2016 – h 11.00
 Lecture Hall G7 (Bldg. Biosciences, Level 1)

SHORT BIOS



Nicolai Petkov is professor of computer science with a chair in intelligent systems at the University of Groningen since 1991. In the period 1998-2009 he was scientific director of the Institute for Mathematics and Computer Science. He

applies machine learning and pattern recognition to various problems in dermatology and ophthalmology.

www.cs.ruq.nl/~petkov

ABSTRACT

A trainable filter is a filter that is configured by the automatic analysis of a pattern specified by a user. Subsequently, such a filter can detect similar patterns. This approach is illustrated by the design of filters that can detect bifurcations in retinal fundus images. The user presents a vascular bifurcation as a local pattern of interest. The automatic analysis system applies a bank of Gabor filters to this pattern and identifies which of them respond most strongly and in which positions. The response of the composite trainable filter is then computed as a combination (e.g. a geometric mean) of the responses of the selected Gabor filters, shifted by certain off-set vectors determined in the analysis phase. We call this method Combination of Shifted Filter Responses (COSFIRE). An advantage of this approach is its ease of use, as it requires no programming effort – the parameters of a filter are derived automatically from a single training pattern. This approach is further illustrated by the segmentation of blood vessels and the localization and segmentation of the optic nerve head in retinal fundus images.